

DEXEBELL

CLASSICO L3 digital organ









CLASSICO L3

DEXIBELL CLASSICO L3 is a portable digital classical organ which, using exclusive technology, called "True 2 Life" (or 'T2L' for short), offers a timbral quality neverbefore achieved in the reproduction of the sounds of classical organs thanks to its:

- Unlimited Notes Polyphony
- 24 bit and 48Khz

- Over 15 seconds of Recorded Waves in 3D surround.

Combination of "Sampling and Modelling" technology with unique algorithms

With its 76 dynamic sensitive keys and 4 simultaneous parts, CLASSICO L3 offers legendary high quality acoustic and electric pianos, also found in the DEXIBELL VIVO digital piano range.

Sounds and Effects are designed for "seamless transition" during patch change or memory recalls avoiding any unwanted interruption of current sound and effect

1

CHISCO

11



SOUND QUALITY

Amazing "True To Life" quality thanks to our new technology that combines "Sampling & Modelling" at 24 bit - 48 KHz with its unique algorithms and an unlimited polyphony.

5 Organ sets:

- American Classic
- French Symphonic
 Pizzicato Strings
- English Romantic
- German Baroque
- Positive
- + Loadable User Sets

• Bandoneon

- Classic Percussion
- Vibraphone
- Xylophone

Each Organ set includes:

- 7 Stops in MANUAL I
- 6 Stops in MANUAL II
- 3 Stops in PEDAL
- 39 Orchestral Sounds



16 Orchestral voices from the VIVO library:

- Piano, E. Piano
- Blues & Gospel Organ
- 3 Harpsichord, Lute
- 3 Strings, 3 Choir
- Celesta, Harp

6 Pedal voices:

- Double Bass Section
- Ac. Bass
- E. Bass
- Orchestra
- Tuba
- Tubular Bells

Newly developed 12 Solo voices with legato:

- Flute
- Piccolo •
- Violin
- Viola •
- Oboe
- Clarinet
- Bassoon
- English Horn
- Trumpet
- Baroque Trumpet
- Trombone •
- French Horn

TECHNOLOGY

- High Speed Quad-Core processor for maximum accuracy and reactivity to multiple articulations of the player.
- "To host" and "to device" USB connection
- Bluetooth for audio streaming
- Audio Recorder & Player



PORTABILITY

- 76 key portable keyboard
- 14 Kg weight
- 2 Manuals mode
- 35 x 2 Watts built-in speaker system



DESIGN

- Authentic Italian design
- Ergonomic panel lay-out
- Real Tilt Tabs and Memory Pistons



ACCESSORIES

- Extra large luxury music-rest in plexiglass
- LED power lamp
- Wooden made stand in a 'matching design' to compliment the look of the keyboard (Optional)
- Sub woofer announced (Optional)
- Padded bag with rugged wheels and custom zips (Optional)





Sub woofer (Optional)

TECHNICAL SPECIFICATIONS

		CLASSICOL3
KEYBOARD		76 Keys with dynamic touch
TONE GENERATOR		T2L: Sampling and Modelling Technology
SAMPLING		XXL wave size, up to 15 seconds on lower piano notes
SOUND WAVE FORMAT		24 bit linear - 48 KHz (Internal processing and DSP at 32 bit floating)
DIGITAL ANALOG CONVERTION	DN (DAC)	24 bit linear - 48 KHz, Dynamic Range, S/N:106dB
MAXIMUM POLYPHONY		Unlimited with 320 Oscillator
ORGAN TYPE		Baroque, Romantic, Symphonic, Classic, Positive, User1, User2
PEDAL STOP		3
MANUAL I STOP		7
MANUAL II STOP		6
ORCHESTRAL VOICES		39
MEMORY PISTONS		4 x 3 Banks under the keyboard, saveable and loadable by USB
KEYBOARD MODE		3 Parts (MANUAL I, MANUAL II, PEDAL)
TOUCH SENSITIVITY		4 Types + Fixed
REVERB		7 Types
TREMULANT		3 Types
MASTER EQUALIZER		Tone control
MASTER TUNING		7 hystorical presets + fine adjustable
TRANSPOSER		+6, - 6 semitones
CHORD ENHANCER		YES
CONTROLLERS		Balance 1 x Knob
		Volume 1 x Knob
		Reverb Depth 1 x Knob
		Fine Tuning 1 x Knob
		Audio IN 1 x Knob
		Tone/Level 1 x Encoder
PLAYER	MIDI	NO
	AUDIO	.wav, .aiff, .mp3, in all format, frequency and bit rate
RECORDER	AUDIO	.wav (48 kHz, 32-bit floating) on USB Memory
	MIDI	NO
TEMPERAMENT		7 Types
	OUTPUT	OUTPUT jacks (L/MONO, R): 1/4-inch phone type
CONNECTORS	PHONES	2: 1 Jack 1/4 -inch phone type, 1 mini jack
	F00T 1	EXPRESSION, Assignable
	F00T 2	DAMPER/HOLD, Assignable
	FOOT 3	CRESCENDO/DAMPER, Assignable
	MIDI	IN, OUT, THRU
	USB	TO HOST (MIDI), TO DEVICE (MEMORY)
	AUX IN	1 jack (stereo mini-jack)
BLUETOOTH		YES
SPEAKERS		2 Full range x 8.9 cm (3,5 inches)
RATED POWER OUTPUT		35 W x 2 max @ THD+N < 0.1%
VOLUME LEVEL SPL		108.1 dB max
DSP on AMPLIFIER	DIGITAL BASS ENHANCER	YES
	DYNAMIC EQ	YES
	3 BAND COMPRESSOR	YES
POWER PORT		Adjustable light
POWER CONSUMPTION		STAND BY: < 0,2 W
		MAXIMUM: 11 W
DIMENSIONS		"ErP" LEVEL VI for Echo efficiency on stand-by consumption
		Width 1116 mm
		Depth 335 mm
WEIGHT		Height 130 mm
WEIGHT		14 Kg

DEXBELL

DEXIBELL is a brand of

PROEL SPA (Worldwide Headquarters) Via alla Ruenia, 37/43 64027 Sant'Omero (TE) - ITALY Tel. +39 0861 81241 Fax +39 0861 887862 P.I. 00778590679 N.Reg.AEE IT 08020000002762

dexibell.com